#### **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in the application:

- 1. (Currently Amended) A method comprising:
  - receiving information pertaining to a call to a called party placed by a calling party;

sending a notification of the call to a device associated with the called party; receiving a response to the notification;

- sending a notification of a collaboration request to a device associated with the calling party based on the response, the collaboration request being a request for a collaboration to share data interactively between the called party and the calling party, the collaboration being in addition to the call; receiving a response to the collaboration request from the calling party accepting or denying the collaboration request; and
- connecting the call between the calling party and the called party when the calling party denies the collaboration request.
- 2. (Original) The method of claim 1, wherein the information pertaining to the call comprises at least one of called number data, calling name data, and calling number data.

3. (Previously Presented) The method of claim 1, wherein sending a notification of the call comprises:

retrieving data corresponding to the called party using the information pertaining to the call;

selecting a device associated with the called party to receive the notification of the call based on the data corresponding to the called party; and

providing the notification of the call to the selected device for display on the selected device.

- 4. (Original) The method of claim 1, wherein the notification of the call comprises a user-selectable collaboration option.
- 5. (Previously Presented) The method of claim 4, wherein the notification of the call is displayed on the device associated with the called party.
- 6. (Previously Presented) The method of claim 1, wherein sending a notification of a collaboration request comprises:

providing the notification of the collaboration request to a device used to place the call for display on the device used to place the call, based on a determination that the response to the notification of the call indicates that the collaboration is requested.

7. (Previously Presented) The method of claim 1, wherein sending a notification of a collaboration request comprises:

retrieving data corresponding to the calling party using the information pertaining to the call, based on a determination that the response to the notification of the call indicates that the collaboration is requested;

selecting a device associated with the calling party to receive the notification of the collaboration request based on the data corresponding to the calling party; and

providing the notification of the collaboration request to the selected device associated with the calling party for display on the selected device associated with the calling party.

- 8. (Original) The method of claim 1, wherein the notification of the collaboration request comprises user-selectable options for accepting and declining the collaboration request.
- 9. (Previously Presented) The method of claim 1, further comprising, prior to sending the notification of the collaboration request:

from the perspective of the called party.

10. (Previously Presented) The method of claim 9, the connecting comprising:

from the perspective of the calling party, based on a determination that the calling party accepts the collaboration request; and connecting the call between the called party and calling party.

- 11. (Previously Presented) The method of claim 9, the connecting comprising:

  launching the collaboration between the called party and the calling party

  from the perspective of the calling party, based on a determination

  that the calling party accepts the collaboration request, wherein the

  collaboration includes a data connection and a voice connection.
- 12. (Previously Presented) The method of claim 9, the connecting comprising:

  launching the collaboration between the called party and the calling party

  from the perspective of the calling party based on a determination

  that the calling party accepts the collaboration request, wherein the

  collaboration includes a data connection and a videoconferencing

  connection.
- 13. (Previously Presented) The method of claim 9, the connecting comprising:

  ceasing the collaboration launched from the perspective of the called party

  based on a determination that the calling party declines the

  collaboration request; and

connecting the call to the called party between the called party and the calling party.

14. (Currently Amended) A method comprising:

receiving information pertaining to a call incoming to a called party, the call being placed by a calling party;

sending a notification of the call to a device associated with the called party;

receiving, while the call is available to be answered by the called party, a response to the notification from the called party indicating that the called party requests a collaboration to share data interactively with the calling party, the collaboration being in addition to the call;

sending a notification of a collaboration request to a device associated with the calling party based on the response; [[and]]

receiving a response to the collaboration request from the calling party
accepting or denying the collaboration request; and

initiating the collaboration between the called party and the calling party based on a determination that the calling party accepts the collaboration request.

15. (Previously Presented) The method of claim 14, wherein sending a notification of the call comprises:

retrieving data corresponding to the called party using the information pertaining to the call;

selecting a device associated with the called party to receive the notification of the call based on the data corresponding to the called party; and

providing the notification of the call to the selected device for display on the selected device.

- 16. (Original) The method of claim 14, wherein the notification of the ball comprises a user-selectable collaboration option.
- 17. (Previously Presented) The method of claim 16, wherein the notification of the call is displayed on the device associated with the called party.
- 18. (Previously Presented) The method of claim 14, wherein sending a notification of a collaboration request comprises:

providing the notification of the collaboration request to a device used to place the call for display on the device used to place the call, based on a determination that the response to the notification of the call indicates that the collaboration is requested.

19. (Previously Presented) The method of claim 14, wherein sending a notification of a collaboration request comprises:

retrieving data corresponding to the calling party using the information pertaining to the call, based on a determination that the response to the notification of the call indicates that the collaboration is requested;

selecting a device associated with the calling party to receive the notification of the collaboration request based on the data corresponding to the calling party; and

providing the notification of the collaboration request to the selected device associated with the calling party for display on the selected device associated with the calling party.

- 20. (Original) The method of claim 14, wherein the notification of the collaboration request comprises user-selectable options for accepting and declining the collaboration request.
- 21. (Original) The method of claim 14, wherein the collaboration includes a data connection and a voice connection.
- 22. (Original) The method of claim 14, wherein the collaboration includes a data connection and a videoconferencing connection.
- 23. (Previously Presented) The method of claim 14, comprising:

connecting the call to the called party between the called party and the calling party.

24. (Currently Amended) An apparatus comprising:

means for receiving information pertaining to a call to a called party placed by a calling party;

means for sending a notification of the call to a device associated with the called party;

means for receiving a response to the notification;

means for sending a notification of a collaboration request to a device associated with the calling party based on the response, the collaboration request being a request for a collaboration to share data interactively between the called party and the calling party, the collaboration being in addition to the call;

means for receiving a response to the collaboration request from the calling party accepting or denying the collaboration request; and means for connecting the call between the calling party and the called party when the calling party denies the collaboration request.

25. (Original) The apparatus of claim 24, wherein the information pertaining to the call comprises at least one of called number data, calling name data, and calling number data.

26. (Previously Presented) The apparatus of claim 24, the means for sending a notification of the call comprising:

means for retrieving data corresponding to the called party using the information pertaining to the call;

means for selecting a device associated with the called party to receive
the notification of the call based on the data corresponding to the
called party; and

means for providing the notification of the call to the selected device for display on the selected device.

- 27. (Original) The apparatus of claim 24, wherein the notification of the call comprises a user-selectable collaboration option.
- 28. (Previously Presented) The apparatus of claim 27, wherein the notification of the call is displayed on the device associated with the called party.
- 29. (Previously Presented) The apparatus of claim 24, the means for sending a notification of a collaboration request comprising:

means for providing the notification of the collaboration request to a device used to place the call for display on the device used to place the call, based on a determination that the response to the notification of the call indicates that the collaboration is requested.

30. (Previously Presented) The apparatus of claim 24, the means for sending a notification of a collaboration request comprising:

means for retrieving data corresponding to the calling party using the information pertaining to the call, based on a determination that the response to the notification of the call indicates that the collaboration is requested;

means for selecting a device associated with the calling party to receive
the notification of the collaboration request based on the data
corresponding to the calling party; and

means for providing the notification of the collaboration request to the selected device associated with the calling party or display on the selected device associated with the calling party.

- 31. (Original) The apparatus of claim 24, wherein the notification of the collaboration request comprises user-selectable options for accepting and declining the collaboration request.
- 32. (Previously Presented) The apparatus of claim 24, further comprising: means for launching the collaboration between the called party and the calling party from the perspective of the called party.
- 33. (Previously Presented) The apparatus of claim 32, the means for connecting comprising:

means for launching the collaboration between the called party and the calling party from the perspective of the calling party, based on a determination that the calling party accepts the collaboration request; and

means for connecting the call to the called party between the called party and calling party.

34. (Previously Presented) The apparatus of claim 32, the means for connecting comprising:

means for launching the collaboration between the called party and the calling party from the perspective of the calling party, based on a determination that the calling party accepts the collaboration request, wherein the collaboration includes a data connection and a voice connection.

35. (Previously Presented) The apparatus of claim 32, the means for connecting comprising:

means for launching the collaboration between the called party and the calling party from the perspective of the calling party, based on a determination that the calling party accepts the collaboration request, wherein the collaboration includes a data connection and a videoconferencing connection.

36. (Previously Presented) The apparatus of claim 32, the means for connecting comprising:

means for ceasing the collaboration launched from the perspective of the called party based on a determination that the calling party declines the collaboration request; and

means for connecting the call to the called party between the called party and the calling party.

### 37. (Currently Amended) An apparatus comprising:

means for receiving information pertaining to a call incoming to a called party, the call being placed by a calling party;

means for sending a notification of the call to a device associated with the called party;

means for receiving, while the call is available to be answered by the called party, a response to the notification from the called party indicating that the called party requests a collaboration to share data interactively with the calling party, the collaboration being in addition to the call;

means for sending a notification of a collaboration request to a device associated with the calling party based on the response; [[and]] means for receiving a response to the collaboration request from the calling party accepting or denying the collaboration request; and

means for initiating the collaboration between the called party and the calling party based on a determination that the calling party accepts the collaboration request.

38. (Previously Presented) The apparatus of claim 37, the means for sending a notification of the call comprising:

means for retrieving data corresponding to the called party using the information pertaining to the call;

means for selecting a device associated with the called party to receive
the notification of the call based on the data corresponding to the
called party; and

means for providing the notification of the call to the selected device for display on the selected device.

- 39. (Original) The apparatus of claim 37, wherein the notification of the call comprises a user-selectable collaboration option.
- 40. (Previously Presented) The apparatus of claim 39, wherein the notification of the call is displayed on the device associated with the called party.
- 41. (Previously Presented) The apparatus of claim 37, the means for sending a notification of a collaboration request comprising:

means for providing the notification of the collaboration request to a device used to place the call for display on the device used to place the call, based on a determination that the response to the notification of the call indicates that the collaboration is requested.

42. (Previously Presented) The apparatus of claim 37, the means for sending a notification of a collaboration request comprising:

means for retrieving data corresponding to the calling party using the information pertaining to the call, based on a determination that the response to the notification of the call indicates that the collaboration is requested;

means for selecting a device associated with the calling party to receive
the notification of the collaboration request based on the data
corresponding to the calling party; and

means for providing the notification of the collaboration request to the selected device associated with the calling party for display on the selected device associated with the calling party.

43. (Original) The apparatus of claim 37, wherein the notification of the collaboration request comprises user-selectable options for accepting and declining the collaboration request.

- 44. (Original) The apparatus of claim 37, wherein the collaboration includes a data connection and a voice connection.
- 45. (Original) The apparatus of claim 37, wherein the collaboration includes a data connection and a videoconferencing connection.
- 46. (Previously Presented) The apparatus of claim 37, comprising:

  means for connecting the call to the called party between the called party

  and the calling party.
- 47. (Currently Amended) An apparatus comprising:

a memory having a program that:

receives information pertaining to a call to a called party placed by a calling party[[,]]:

sends a notification of the call to a device associated with the called party[[,]];

receives a response to the notification[[,]];

sends a notification of a collaboration request to a device
associated with the calling party based on the
response, the collaboration request being a request
for a collaboration to share data interactively between
the called party and the calling party, the collaboration
being in addition to the call;

receives a response to the collaboration request from the calling party accepting or denying the collaboration request; and

connects the call between the calling party and the called party when the calling party denies the collaboration request; and

a processor that runs the program.

48. (Currently Amended) An apparatus comprising:

a memory having a program that:

receives information pertaining to a call incoming to a called party, the call being placed by a calling party[[,]]; sends a notification of the call to a device associated with the called party[[,]];

receives, while the call is available to be answered by the called party, a response to the notification from the called party indicating that the called party requests a collaboration to share data interactively with the calling party, the collaboration being in addition to the call[[,]];

sends a notification of a collaboration request to a device associated with the calling party based on the response;

receives a response to the collaboration request from the

calling party accepting or denying the collaboration

request; and

initiates the collaboration between the called party and the calling party based on a determination that the calling party accepts the collaboration request; and a processor that runs the program.

49. (Currently Amended) A computer-readable medium containing instructions for performing a method, the method comprising:

receiving information pertaining to a call to a called party placed by a calling party;

sending a notification of the call to a device associated with the called party;

receiving a response to the notification;

sending a notification of a collaboration request to a device associated with the calling party based on the response, the collaboration request being a request for a collaboration to share data interactively between the called party and the calling party, the collaboration being in addition to the call;

receiving a response to the collaboration request from the calling party accepting or denying the collaboration request; and

connecting the call between the calling party and the called party when the calling party denies the collaboration request.

- 50. (Original) The computer-readable medium of claim 49, wherein the information pertaining to the call comprises at least one of called number data, calling name data, and calling number data.
- 51. (Previously Presented) The computer-readable medium of claim 49, wherein sending a notification of the call comprises:
  - retrieving data corresponding to the called party using the information pertaining to the call;
  - selecting a device associated with the called party to receive the notification of the call based on the data corresponding to the called party; and
  - providing the notification of the call to the selected device for display on the selected device.
- 52. (Original) The computer-readable medium of claim 49, wherein the notification of the call comprises a user-selectable collaboration option.
- 53. (Previously Presented) The computer-readable medium of claim 52, wherein the notification of the call is displayed on the device associated with the called party.

54. (Previously Presented) The computer-readable medium of claim 49, wherein sending a notification of a collaboration request comprises:

providing the notification of the collaboration request to a device used to place the call for display on the device used to place the call, based on a determination that the response to the notification of the call indicates that the collaboration is requested.

55. (Previously Presented) The computer-readable medium of claim 49, wherein sending a notification of a collaboration request comprises:

retrieving data corresponding to the calling party using the information pertaining to the call, based on a determination that the response to the notification of the call indicates that the collaboration is requested;

selecting a device associated with the calling party to receive the notification of the collaboration request based on the data corresponding to the calling party; and

providing the notification of the collaboration request to the selected device associated with the calling party for display on the selected device associated with the calling party.

56. (Original) The computer-readable medium of claim 49, wherein the notification of the collaboration request comprises user-selectable options for accepting and declining the collaboration request.

- 57. (Previously Presented) The computer-readable medium of claim 49, further comprising, prior to sending the notification of the collaboration request:
  - from the perspective of the called party.
- 58. (Previously Presented) The computer-readable medium of claim 57, the connecting comprising:
  - from the perspective of the calling party, based on a determination that the calling party accepts the collaboration request; and connecting the call to the called party between the called party and calling party.
- 59. (Previously Presented) The computer-readable medium of claim 57, the connecting comprising:
  - from the perspective of the calling party, based on a determination that the calling party accepts the collaboration request, wherein the collaboration includes a data connection and a voice connection.
- 60. (Previously Presented) The computer-readable medium of claim 57, the connecting comprising:

from the perspective of the calling party, based on a determination that the calling party accepts the collaboration request, wherein the collaboration includes a data connection and a videoconferencing connection.

61. (Previously Presented) The computer-readable medium of claim 57, the connecting comprising:

ceasing the collaboration launched from the perspective of the called party based on a determination that the calling party declines the collaboration request; and

connecting the call to the called party between the called party and the calling party.

62. (Currently Amended) A computer-readable medium containing instructions for performing a method, the method comprising:

receiving information pertaining to a call incoming to a called party, the call being placed by a calling party;

sending a notification of the call to a device associated with the called party;

receiving, while the call is available to be answered by the called party, a response to the notification from the called party indicating that the

called party requests a collaboration to share data interactively with the calling party, the collaboration being in addition to the call; sending a notification of a collaboration request to a device associated with the calling party based on the response; [[and]] receiving a response to the collaboration request from the calling party accepting or denying the collaboration request; and initiating the collaboration between the called party and the calling party based on a determination that the calling party accepts the collaboration request.

# 63. (Currently Amended) A method comprising:

receiving, at a device associated with a called party, notification of a call incoming to the called party, the call being placed by a calling party; receiving input from the called party indicative of a response to the notification; and

sending, to a service center, response information reflective of the response to the notification while the call is available to be answered by the called party, wherein, based on the response, the service center:

sends a notification of a collaboration request to a device
associated with the calling party based on the
response information, the collaboration request being
a request for a collaboration to share data

interactively between the called party and the calling party in addition to the call[[,]]:

receives a response to the collaboration request from the

calling party accepting or denying the collaboration

request; and

initiates the collaboration between the called party and the calling party based on a determination that the calling party accepts the collaboration request.

## 64. (Currently Amended) A method comprising:

receiving, from a service center, notification of a collaboration request at a device associated with the calling party, wherein prior to the receiving the service center:

receives notification of a call incoming to a called party, the call being placed by the calling party[[,]];

sends a notification of the call to a device associated with the called party[[,]];

receives, while the call is available to be answered by the called party, a response to the notification of the call from the called party indicating that the called party requests a collaboration to share data interactively with the calling party, the collaboration being in addition to the call[[,]]; and

sends the notification of the collaboration request based on
the response to the notification of the call;
receiving input from the calling party indicative of a response to the
notification of the collaboration request; and
sending, to the service center, response information reflective of the
response to the notification of the collaboration request, wherein
the service center initiates the collaboration between the called
party and the calling party based on a determination that the calling
party accepts the collaboration request.

### 65. (Currently Amended) A device comprising:

a memory having a program that:

receives notification of a call incoming to a called party, the call being placed by a calling party;

receives input from the called party indicative of a response to the notification; and

sends, to a service center, response information reflective of
the response to the notification while the call is
available to be answered by the called party, wherein,
based on the response, the service center:

sends a notification of a collaboration request
to a device associated with the calling
party based on the response

information, the collaboration request being a request for a collaboration to share data interactively between the called party and the calling party in addition to the call[[,]];

receives a response to the collaboration

request from the calling party accepting

or denying the collaboration request;

and

party and the based on a determination
that the calling party accepts the
collaboration request;

a user interface that displays the notification of the call; and a processor that runs the program.

# 66. (Currently Amended) A device comprising:

a memory having a program that:

receives, from a service center, notification of a collaboration request at a device associated with a calling party, wherein prior to the receiving the service center:

receives notification of a call incoming to a called party, the call being placed by the calling party[[,]];

sends a notification of the call to a device
associated with the called party[[,]];
receives, while the call is available to be
answered by the called party, a
response to the notification of the call
from the called party indicating that the
called party requests a collaboration to
share data interactively with the calling
party, the collaboration being in addition
to the call[[,]]; and

sends the notification of the collaboration request based on the response to the notification of the call;

receives input from the calling party indicative of a response to the notification of the collaboration request; and sends, to the service center, response information reflective of the response to the notification of the collaboration request, wherein the service center initiates the collaboration between the called party and the calling

party based on a determination that the calling party accepts the collaboration request;

a user interface that displays the notification of the collaboration request; and

a processor that runs the program.

#### 67. (Currently Amended) A system comprising:

a voice network;

a data network;

a device associated with a called party;

a device associated with a calling party; and

a service center operable to:

receive information pertaining to a call incoming to the called party, the call being placed by the calling party[[,]]; send a notification of the call to the device associated with the called party[[,]];

receive while the call is available to be answered by the called party, a response to the notification from the called party indicating that the called party requests a collaboration to share data interactively with the calling party, the collaboration being in addition to the call, send a notification of a collaboration request to

the device associated with the calling party based on the response[[,]];

receive a response to the collaboration request from the

calling party accepting or denying the collaboration

request; and

initiate the collaboration between the called party and the calling party based on a determination that the calling party accepts the collaboration request.

#### 68. (Currently Amended) An apparatus comprising:

an application server operable to receive information pertaining to a call incoming to a called party, the call being placed by a calling party; a notification server operable to send a notification of the call to a device associated with the called party; and

a network access server operable to receive, while the call is available to be answered by the called party, a response to the notification from the called party indicating that the called party requests a collaboration to share data interactively with the calling party, the collaboration being in addition to the call, wherein

the notification server sends a notification of a collaboration request to a device associated with the calling party based on the response[[, and]];

the notification server receives a response to the

collaboration request from the calling party accepting
or denying the collaboration request; and

the application server initiates the collaboration between the
called party and the calling party based on a
determination that the calling party accepts the
collaboration request.

## 69. (Currently Amended) A method comprising:

receiving information pertaining to a call to a called party placed by a calling party;

sending a notification of the call to a device associated with the called party;

receiving a response to the notification of the call;

sending a notification of a collaboration request to a device associated with the calling party based on the response, the collaboration request being a request for a collaboration to share data interactively between the called party and the calling party, the collaboration being in addition to the call;

receiving a response to the collaboration request from the calling party accepting or denying the collaboration request;

connecting the call between the calling party and the called party when the calling party denies the collaboration request; and

conducting the collaboration between the called party and the calling party when the calling party accepts the collaboration request,

wherein conducting the collaboration comprises using application software that provides multiparty communication between at least the called party and the calling party.

70. (Previously Presented) The method according to claim 69, further comprising:

launching the collaboration between the called party and the calling party

from the perspective of the called party, prior to sending the

notification of the collaboration request.